

COSHH ASSESSMENT for Tyrolean



Many factors must be considered when carrying out an Assessment resulting in a variety of explicit control measures and solutions.







Section 1

Product Name:	Tyrolean	Assessment Number:	
Description of Substance:	White or coloured cement based mix	Safety Data Sheet Attached:	Yes <input type="checkbox"/> No <input type="checkbox"/>
Workplace Exposure Limit:		Assessed by:	
Description of Task:	Provides a decorative and protective rendering.	Date:	

Section 2





Hazardous Substances Properties								
								
Extremely Flammable	Oxidising	Explosive	Corrosive	Toxic	Respiratory Sensitisation	Gas Under Pressure	Dangerous for the Environment	Harmful
Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

Section 3

Exposure Routes					
					
Skin	Ingestion	Eyes	Cuts/Abrasion	Inhalation	Injection
Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

Who is at risk?				
				
Task workers	Public	Site Visitors	Other workers	Young people
Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

Section 4

PPE Requirements						
						
AVOID CONTACT WITH EYES	DO NOT BREATHE DUST	WEAR EYE/FACE PROTECTION	WEAR SUITABLE PROTECTIVE CLOTHING	WEAR SUITABLE GLOVES	SKIN CHECK	USE LOCAL EXHAUST VENTILATION
Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

Section 5

Details of the Task			
Litres/Gallons/Kgs used: (specify which and how many)	Number of workers involved in the task	How many hours/days' does the task take (specify which)	How is it mixed/applied?
	2 - 4	Daily Task	

Section 6

Additional Control Measures	
General Precautions	<ul style="list-style-type: none"> Ensure that the above specified PPE is worn and that all staff is informed of the risks; control measures and precautions required when working with the substance.
Control Measures	<ul style="list-style-type: none"> Ensure that adequate supervision is supplied at all times.
First Aid / Hygiene	<ul style="list-style-type: none"> General advice: Move out of the danger area. Consult a doctor. Show the safety data sheet to the doctor in attendance. If inhaled: Move affected person to fresh air. If nose or airways become inflamed seek medical attention. In case of skin contact: Wash the affected area thoroughly with soap and water. If irritation continues seek medical advice. Clothing contaminated with wet product should be removed and washed thoroughly before reuse. In case of eye contact: Wash eyes immediately with plenty of clean water for at least 15 minutes and seek medical advice without delay. If swallowed: If swallowing has occurred DO NOT induce vomiting. Give person plenty of water to drink. Seek medical attention.
Fire Precautions	<ul style="list-style-type: none"> Use extinguishing measures that are appropriate to the circumstances and the surrounding environment. Do not release contaminated water into surface water drains.
LEV Requirements	<ul style="list-style-type: none"> Ensure that the area is well ventilated at all times.
Monitoring Requirements	<ul style="list-style-type: none"> Consider additional monitoring if this product is to be used within a confined space. Provide additional monitoring where young or inexperienced workers are carrying out the works.
Storage Requirements	<ul style="list-style-type: none"> When stored unopened in a dry place at temperatures above 5°C. Exterior of bags may contain surface dust so wear the correct PPE.

Section 6 continued:

Transport Requirements	<ul style="list-style-type: none"> No special requirements for small quantities.
Spillage Procedure	<ul style="list-style-type: none"> Recover spillage in dry state if possible. Minimise generation of airborne dust. The product can be slurried with water. Keep children away from cleanup operations.
Disposal requirements	<ul style="list-style-type: none"> Dispose to a place authorised to accept builder's waste. Small quantities can be disposed of as normal household waste.
Comments:	<ul style="list-style-type: none">
Are hazards to health adequately controlled with all control measures in place? Yes <input type="checkbox"/> No <input type="checkbox"/>	

